	Previous version preparation date: 23. 10.2013	Page: 1/7
	Update date: 20.03.2020	Revision edition no: 3
<b>DYNAMAX 265 DOT 4</b> <b>Brake fluid</b>		

## Safety data sheet

(Regulation 1907/2006/EC, amended by 2015/830/EU)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY / UNDERTAKING

#### 1.1. Product identifier

<b>Material Name:</b>	<b>DYNAMAX 265 DOT 4</b>		
<b>CAS:</b>		<b>EINECS:</b>	
		<b>ELINCS:</b>	


#### 1.2. Identified uses

<b>Uses:</b>	Brake fluid
--------------	-------------

#### 1.3. Details of the supplier of the safety data sheet

<b>Manufacturer/Supplier:</b>	EURO-VAT spol. s r.o.
<b>IČO:</b>	18049397
<b>Address:</b>	Alekšince 231 951 22 Alekšince (Slovakia)
<b>Phone/fax number:</b>	+421 37 7822 326-7
<b>E-mail:</b>	<a href="mailto:eurovat@eurovat.sk">eurovat@eurovat.sk</a> www.eurovat.sk
<b>Emergency phone number:</b>	National Poisons Information Service: City Hospital, Birmingham B187QH, United Kingdom Phone: +44 121 507 4123 E-mai: <a href="mailto:allistervale(at)npis.org">allistervale(at)npis.org</a> , <a href="mailto:sallybradberry(at)npis.org">sallybradberry(at)npis.org</a> Website: <a href="http://www.npis.org">www.npis.org</a>

### SECTION 2: HAZARDS IDENTIFICATION

<b>2.1. Classification of the substance or mixture</b>  <b>2.2 Label elements</b>	<b>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</b>  Acute Tox. 4    H302 Eye Irrit. 2    H319 Repr. 2        H361d  <b>Hazard pictograms (CLP/GHS) :</b>    <b>Signal word:</b> warning  <b>H-phrases:</b> H302 Harmful if swallowed. H319 Causes serious eye irritation. H361 Suspected of damaging the unborn child. EUH208 Contains 4,4 '- (propane-2,2-diyl) diphenol. May produce an allergic reaction.
---	---

## DYNAMAX 265 DOT 4

### Brake fluid

#### 2.3 Other hazards

**P-phrases:**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing  
P501 Dispose of contents/container to a hazardous waste in accordance with relevant legislation

Contains: 2,2'-oxydiethanol, 2-(2-methoxyethoxy) ethanol

**Precautionary statements**

**Prevention :** Do not breathe vapour. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

**Response :** Get medical attention if you feel unwell. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.

**Storage :** Store in original container in a well ventilated area at temperatures up to 40 °C. Protect the product from static electricity.

**Disposal :** Not applicable.

**Supplemental label elements:** Not applicable.

**Special packaging requirements**

**Containers to be fitted with child-resistant fastenings:** Applicable.

**Tactile warning of danger:** Applicable.

**Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII:**






Not available.

**Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII:**

Not available.

**Other hazards which do not result in classification:** Not available.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product /ingredient name	CAS	EC	Symbols	Conc.	Registr. no REACH	GHS classification	
2-[2(2-butoxy ethoxy) ethoxy] ethanol	143-22-6	205-592-6		10 - 45	01-2119475107-38-xxxx	Eye Dam.1	H318
2,2'-oxydiethanol	111-46-6	203-872-2		<20	01-2119457857-21-xxxx	Acute tox.4 STOT RE 2	H302 H373
2-(2-methoxyethoxy) ethanol	111-77-3	203-906-6		<5	01-2119475100-52-xxxx	Repr. 2	H361d
2-(2-butoxyethoxy)ethanol	112-34-5	203-961-6		<3	01-2119475104-44-xxxx	Eye Irrit. 2	H319
4,4'-(propane-2,2-diyl) diphenol	80-05-7	201-245-8		1 - 5	01-2119438366-35-xxxx	Skin.Sens.1 Eye Dam. 1 STOT SE3 Repr. 2	H317 H318 H335 H361f

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

**Eye contact:** Rinse immediately with plenty of water. Seek medical attention if irritation develops.



Previous version preparation date: 23. 10.2013  
Update date: 20.03.2020

Page: 3/7  
Revision edition no: 3

## DYNAMAX 265 DOT 4

### Brake fluid

	<p><b>Inhalation:</b> Assure fresh air breathing. If you feel unwell, seek medical advice. <b>Skin contact:</b> Wash the skin with water and soap and apply skin-protective cream. <b>Ingestion:</b> Do not induce vomiting. If the injured is conscious give 2 glasses of water. Ensure medical assistance immediately</p>
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	<p><b>Potential acute health effects</b> <b>Eye contact:</b> Symptoms: burning eyes. First aid: Rinse gentle stream of water for at least 15 minutes. If symptoms persist, consult a doctor. <b>Inhalation :</b> Inhalation occurs facial flushing and feeling drunk. <b>Skin contact :</b> Wash off with warm water and soap and apply a suitable cream. <b>Ingestion :</b> After ingestion rinse mouth with water. Give water to drink. Do not induce vomiting. Seek medical advice.</p>
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	<p><b>Notes to physician:</b> No specific notes. <b>Specific treatments:</b> No specific treatment.</p>

#### SECTION 5: FIRE FIGHTING MEASURES

<b>5.1 Suitable extinguishing media</b>	Foam, powder, carbon dioxide, water spray.
<b>5.2. Unsuitable extinguishing media</b>	Not known.
<b>5.3. Specific hazards</b>	Formed during combustion gases containing oxides of carbon and nitrogen. Endangered containers and storage space cooling water screen and possibly removed from the danger zone.
<b>5.4. Protective equipment for firefighters</b>	Protective clothing against radiant heat and insulating breathing apparatus.
<b>Additional advice</b>	-

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>6.1. Personal precautions</b>	Ensure adequate ventilation. Avoid contact with skin and eyes. No smoking.
<b>6.2. Environmental precautions</b>	Do not allow to surface and groundwater. With its breakthrough contact person.
<b>6.3. Clean up methods</b>	Locate the spilled product, drain and remove mechanically. Residues backfilled with suitable absorbent material such as sand, lime powder, VAPEX, and other Ekosorb. Contaminated absorbent stored in tightly sealed containers and disposed of in a waste incineration plant. For leakage of the product or the fire department to inform the competent authorities.

#### SECTION 7: HANDLING AND STORAGE

<b>7.1. Handling</b>	When using do not eat or drink or smoke. Observe safety and sanitary measures.
<b>7.2 . Storage</b>	Store in well-closed packings at the temperature up to 40 °C in a dry ventilated room. Avoid release into the environment.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>8.1. Control parameters</b>	Ventilation respectively. exhausting work areas. The work may not be readily combustible substances and other dangerous source of fire.
<b>8.2 Exposure controls</b>	Observe the usual precautions for health at work and in good ventilation. When using do not eat, drink or smoke.
<b>8.2.1 Occupational</b>	a) Respiratory protection: it is necessary only in case of exceeding the TWA (mask



Previous version preparation date: 23. 10.2013  
Update date: 20.03.2020

Page: 4/7  
Revision edition no: 3

## DYNAMAX 265 DOT 4

### Brake fluid

<b>exposure controls</b>	with organic vapor filter type A) b) Eye protection: goggles c) Protection of hands: protective gloves (EN 374) d) protection: clothing
<b>8.2.2. Environmental exposure controls</b>	To prevent leakage of concentrated mixture into surface water drains or soil. Mixture stored in tightly sealed and labeled containers.
<b>8.3. TWA</b>	<u>2-(2-butoxyethoxy)ethanol</u> average: 67,5 mg/m <sup>3</sup> short-term: 101,2 mg/m <sup>3</sup>

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Fysical state</b>	liquid
<b>Colour</b>	yellow-brown
<b>Odour</b>	odourless
<b>pH</b>	7 – 10,5
<b>Flash point (ASTM-D92) [°C]</b>	> 100
<b>Boiling point ( ASTM D1120) [°C]</b>	> 240
<b>Melting point [°C]</b>	not available
<b>Flammability</b>	flammable liquid IV.class
<b>Temperature of spontaneous combustion [°C]</b>	not available
<b>Lower limit of explosion</b>	not available
<b>Superior limit of explosion</b>	not available
<b>Oxidising properties</b>	not available
<b>Vapour pressure [hPa]</b>	not available
<b>Relative density [g.cm<sup>-3</sup>] typ.</b>	1,010 - 1,070
<b>Water solubility [g.l<sup>-1</sup>]</b>	very good mixable
<b>Solubility in solvents [g.l<sup>-1</sup>]</b>	soluble in alcohols, acetone
<b>9.2 Other information</b>	No additional information.
<b>Kinematic viscosity at 40°C [mm<sup>2</sup>.s]</b>	5 – 10

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	No specific test data related to reactivity available for this product or its ingredients.
<b>10.2 Chemical stability</b>	Stabile under recommended conditions of use and storage.
<b>10.3 Possibility of hazardous reactions</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4 Conditions to avoid</b>	Temperature below 0 °C. Avoid storing in direct sunlight.
<b>10.5 Incompatible materials</b>	This product was kindled in contact with chromium trioxide, potassium permanganate, sodium peroxide at room temperature with ammonium bichromate, silver chlorate, uranyl nitrate at 100 ° C.
<b>10.6 Hazardous decomposition products</b>	-

## SECTION 11: TOXICOLOGICAL INFORMATION

**DYNAMAX 265 DOT 4****Brake fluid****11.1 Information on toxicological effects****Acute toxicity**

Acute oral toxicity - LD50 (rat) &gt; 5000 mg/kg

Acute dermal toxicity - LD50 (rat) &gt; 2000 mg/kg

**Irritation/Corrosion**

skin (rabbit) – not irritant

eye (rabbit) – slightly irritating

**Sensitisation****Conclusion/Summary :** Not available.**Mutagenicity****Conclusion/Summary :** Not available.**Carcinogenicity****Conclusion/Summary :** Not available.**Reproductive toxicity****Conclusion/Summary :** Suspected of damaging the unborn child.**Teratogenicity****Conclusion/Summary :** Not available.**Aspiration hazard**

Not available.

**Information on the likely routes of exposure:** Not available.**Symptoms related to the physical, chemical and toxicological characteristics****Eye contact :** No specific data.**Inhalation :** No specific data.**Skin contact:** No specific data**Ingestion:** No specific data.**Delayed and immediate effects and also chronic effects from short and long term exposure****Short term exposure****Potential immediate effects:** Not available.**Potential delayed effects :** Not available.**Long term exposure****Potential immediate effects:** Not available.**Potential delayed effects:** Not available.**Potential chronic health effects****Conclusion/Summary :** Not available.**General :** No known significant effects or critical hazards.**Carcinogenicity :** No known significant effects or critical hazards.**Mutagenicity :** No known significant effects or critical hazards.**Teratogenicity :** No known significant effects or critical hazards.**Developmental effects :** No known significant effects or critical hazards.**Fertility effects :** No known significant effects or critical hazards.**Other information :**

Not available.



Previous version preparation date: 23. 10.2013  
Update date: 20.03.2020

Page: 6/7  
Revision edition no: 3

**DYNAMAX 265 DOT 4**  
**Brake fluid**

**SECTION 12: ECOLOGICAL INFORMATION**

<b>12.1 Toxicity</b>	Not available.
<b>12.2 Persistence and degradability</b>	Not available.
<b>12.3 Bioaccumulative potential</b>	Not available.
<b>12.4 Mobility</b>	Not available.
<b>12.5 Results of PBT and vPvB assessment</b>	<b>PBT :</b> Not available. <b>vPvB :</b> Not available.
<b>12. 6 Other adverse effects</b>	No known significant effects or critical hazards.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Product**

**Methods of disposal:** The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

**Hazardous waste :** The classification of the product meets the criteria for a hazardous waste.

Type of waste	Name of waste	Category of waste
16 01 13	Brake fluids	N

**13.2 Packaging**

**Methods of disposal:** The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions:** This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Type of waste	Name of waste	Category of waste
15 01 10	Packaging containing residues of hazardous substances or contaminated by dangerous substances	N

**SECTION 14: TRANSPORT INFORMATION**

<b>ADR</b>	-
<b>UN proper shipping name</b>	-
<b>Class</b>	-
<b>Hazard Identification</b>	-
<b>Packing group</b>	-
<b>Label</b>	-



Previous version preparation date: 23. 10.2013  
Update date: 20.03.2020

Page: 7/7  
Revision edition no: 3

## DYNAMAX 265 DOT 4

### Brake fluid

#### Notice

It is not dangerous in the meaning of transport regulations.

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

##### Annex XIV - List of substances subject to authorisation

###### Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:** Not applicable.

##### EU Regulation (EC) No 1272/2008 of the European Parliament and of the Council

###### Other EU regulations

**Europe inventory :** All components are listed or exempted

**Black List Chemicals :** Not listed

**Priority List Chemicals :** Not listed

**Integrated pollution prevention and control list (IPPC) - Air:** Not listed

**Integrated pollution prevention and control list (IPPC) - Water:** Not listed

###### International regulations

**Chemical Weapons Convention List Schedule I Chemicals:** Not listed

**Chemical Weapons Convention List Schedule II Chemicals:** Not listed

**Chemical Weapons Convention List Schedule III Chemicals:** Not listed

#### 15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

### SECTION 16: OTHER INFORMATION

#### Reason for Revision:

-

#### 16.1 Text of H-phrases (point 3):

- H302 Harmful if swallowed
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H373 May cause damage to organs through prolonged or repeated exposure
- H361 Suspected of damaging fertility. Suspected of damaging the unborn child.

#### 16.3 Other information:

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. This does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.